Author Index

A

Aharoni, S.M.: Rigid Backbone Polymers. Effects of Width of Chain-Length Distribution on the Phase Behavior of Poly(n-Octyl Isocyanate) 186

B

Bagrodia, S., Mohajer, Y., Wilkes, G.L. Storey, R.F., Kennedy, J.P.: New Polyisobutylene-Based Model Ionomers. 5. The Effect of Molecular Weight on the Mechanical Properties of Tri-Arm-Star Polyisobutylene-Based Model Ionomers 174

Baldrian, J., see Spěváček, J.

Bărboiu, V., see Simionescu, C.I.

Beika, N., see Ouchi, T.

Bershtein, V.A., Egorov, V.M., Emelyanov, Y.A., Stepanov, V.A.: The Nature of β-Relaxation in Polymers 98

Boileau, S., see Boivin, S.

Boivin, S., Chettouf, A., Hemery, P., Boileau, S.: Chemical Modification of Poly(Vinyl Chloroformate) and of Its Copolymers Using Phase Transfer Catalysis 114

Bosch, A. ten, see Seurin, M.J.

Boscher, Y., Lafuma, F., Ouivoron, C.: Light-Scattering Studies of Hydroxyethylcellulose in Water/Nonionic Surfactant Binary Mixtures. Evidence for Preferential Solvation of Polymer Chains by Surfactant Micelles 533

Boyer, R.F., Panichella, K.M., Richards Denny, L.: DSC Evidence for Tu > Tm in n-Alkanes and Polymers 344

Bratko, D., see Špan, J.

Braud, C., Bunel, C., Garreau, H., Vert, M.: Evidence for the Amphiphilic Structure of Partially Hydrogenolyzed Poly(β-Malic Acid Benzyl Ester) 198

Bresler, L.S., Tüdős, F., Kelen, T., Turcsányi, B.: Reexamination of the Stereospecific Copolymerization of Butadiene with Isoprene 223

Brown, W., Johnsen, R.M., Stilbs, P.: Quasielastic Light Scattering in Semi-Dilute Polymer Solutions. A Comparison of "Slow-Mode" Diffusion with Self-Diffusion from FT-Pulsed Field Gradient NMR 305

Bunel, C., see Braud, C.

C

Camberlain, Y., see Claudy, P.

Canessa, G.S., see Rivas, B.L.

Cantow, H.-J., see Mezger, T.

Cantow, H.-J., see Schneider, H.A.

Carlson, G.M., see Kennedy, J.P.

Carlsson, D.J., see Tovborg Jensen, J.P.

Ceccorulli, G., see Pizzoli, M.

Cesca, S., see Corno, C.

Chandra, R., Singh, R.P.: Photosensitization and Photostabilization of Isotactic Poly(1-Butene) Film with Triazine Complexes 445

Chang, V.S.C., Kennedy, J.P.: Optimizing Urethane Synthesis by Studying the Kinetics of Reactions Between a Model Alcohol and Isocyanates in Various Solvents 479

Chang, V.S.C., Kennedy, J.P.: End Group Determination in Hydroxyl-Telechelic Polyisobutylenes by Infrared Spectroscopy 518
Chang, V.S.C., see Sung, P.-H.
Chettouf, A., see Boivin, S.
Chiellini, E., Galli, G., Malanga, C., Spassky, N.: Chiral Liquid Crystal Polymers. 3. Structurally Ordered Thermotropic Polyesters of Optically Active Propyleneglycol Ethers 336
Chiellini, E., see Malanga, C.
Chiou, C.L., see Kuan, T.C.
Chudáček, I., see Trchová, M.
Claudy, P., Létoffé, J.M.: About the Transition of n-Alkanes Above the Melting Point 245
Claudy, P., Létoffé, J.M., Camberlain, Y., Pascault, J.P.: Glass Transition of Polystyrene Versus Molecular Weight 208
Clement, J.C., see Sturtz, G.
Corno, C., Priola, A., Cesca, S.: Cationic Copolymerization of Isobutene with 1,1,4,4-Tetramethyl-1,3-Butadiene. Synthesis and Structural Characterization of the Copolymer 132

D

Diaconu, I., Dumitrescu, S.: Dielectric Relaxation in Poly(2-Ethynylnaphtalene) Determined by Thermally Stimulated Depolarization Currents 17
Djadoun, S.: Ternary Systems of Two Interacting Copolymers and a Solvent 313
Doi, Y., see Soga, K.
Dolar, D., see Špan, J.
Dollhopf, W., see Grossmann, H.P.
O'Donnell, J.H., see Hill, D.J.T.
Dost, A., see Hotzel, H.E.
Dumitrescu, S., see Diaconu, I.
Dumitriu, S., see Simionescu, C.I.
Dybal, J., see Spěváček, J.

E

Egorov, V.M., see Bershtein, V.A.
Eisenbach, C.D., see Kulicke, W.-M.
Eklund, S., see Gedde, U.W.
Elgert, K.-F., Henschel, R., Kosfeld, R.: Polymerization of Vinylchloride by t-Butylmagnesiumchloride. 1. Terminating End Group 423
Elsabee, M., see Kulicke, W.-M.
Emelyanov, Y.A., see Bershtein, V.A.

F

Facsko, O., see Lőcsei, V.
Feguš, M., see Špan, J.
Fleischer, G.: Self Diffusion in Melts of Polystyrene and Polyethylene Measured by Pulsed Field Gradient NMR 152
Fujimori, K., Trainor, G.T.: Effect of Viscosity in the Radical Polymerization of Acrylic Acid in the Presence of Poly(4-Vinylpyridine) in Methanol 204

G

Galli, G., see Chiellini, E.
Garreau, H., see Braud, C.
Gaylord, N.G., see Mishra, M.K.
Gaylord, R.J.: The Equilibrium and Non-Equilibrium Elastic Behavior of Cross-Linked Polymer Networks 181
Gedde, U.W., Eklund, S., Jansson, J.-F.: Microscopic Observations Relating Fracture Morphology to Molecular Weight Segregation in Melt-Crystallized Polyethylene 90
Gedde, U.W., Jansson, J.-F.: Observations of Shish-Kebabs in Solvent-Treated Fracture Surfaces of Polyethylene 85
Gilmer, J., see Hadziioannou, G.
Grigoraş, M., see Simionescu, C.I.
Grossmann, H.P., Dollhopf, W., Krüger, J.K.: Evidence of a Liquid-Liquid Transition in n-Tetracosane. The Behavior of the Specific Volume 593
Guhaniyogi, S.C., see Percec, V.
Guzmán, J., see Riande, E.

H

Hadziioannou, G., Gilmer, J., Stein, R.S.: Interaction Between Components of Polymer Blends by Scattering 563
Hamed, G.R., Shieh, C.-H., Schulz, D.N.: Evidence of Strain-Induced Phase Separation in Isopropyl Azodicarboxylate Modified Polybutadiene 525

Hatada, K., Kitayama, T., Ute, K.: Determination of Tacticity of Polymethacrylamide by C-13 NMR Spectroscopy 241
Hatada, K., Okamoto, Y., Kitayama, T., Sasaki, S.: Copolymerization of 1,1-Diphenylethylene with m- and p-Divinylbenzenes and Grafting Reaction of the Resulting Copolymer with Methacrylates 228
Hayashi, T., see Nagao, M.
Hemery, P., see Boivin, S.
Henschel, R., see Elgert, K.-F.
Herwig, J., Kaminsky, W.: Halogen-Free Soluble Ziegler Catalysis with Methylalumoxan as Catalyst 464
Heublein, G., see Hotzel, H.E.
Hill, D.J.T., O'Donnell, J.H., O'Sullivan, P.W., McGrath, J.E., Wang, I.C., Ward, T.C.: Anionic Copolymerization of Butadiene and Isoprene: Applicability of the Terminal Model to High Conversion 292
Höhne, G.W., see Krüger, J.K.
Hotzel, H.E., Wondraczek, R.H., Dost, A., Heublein, G.: Synthesis of Poly(Indene-g-Isobutylene by Cationic Techniques 402
Hrouz, J., see Ilavský, M.

I

Ilavský, M., Hrouz, J.: Phase Transition in Swollen Gels. 5. Effect of the Amount of Diluent at Network Formation on the Collapse and Mechanical Behavior of Polyacrylamide Networks 159
Imoto, M., see Ouchi, T.
Inagaki, N., Mitsuuchi, M.: Glow Discharge Polymerization of Tetramethylgermanium in Capacitive Coupling System at 20 kHz Frequency 390
Inagaki, N., Nakanishi, T., Katsuura, K.: Glow Discharge Polymerizations of Tetrafluoroethylene, Perfluoromethylcyclohexane and Perfluorotoluene Investigated by Infrared Spectroscopy and ESCA 502

J

Jacobsen, T., see Sørensen, P.R.
Jansson, J.-F., see Gedde, U.W.
Johnsen, R.M., see Brown, W.
Jontè, J.M. see Kricheldorf, H.R.

K

Kahovec, J., see Matějka, Z.
Kaku, M., see Kobayashi, S.
Kaminsky, W., see Herwig, J.
Kasai, H., Kawabata, H., Yamaguchi, K., Nakahama, S., Yamazaki, N.: Preparation of Co-Dimers of Styrene and p-Chlorostyrene with Regulated Monomer Sequences Using Phosphates 487
Katsuura, K., see Inagaki, N.
Kawabata, H., see Kasai, H.
Kelen, T., see Bresler, L.S.
Kennedy, J.P., see Bagrodia, S.
Kennedy, J.P., Carlson, G.M., Riebel, K.: Synthesis, Characterization and Diels-Alder Extension of Cyclopentadiene Telechelic Polyisobutylene. 2. α-Dicyclopentadienyl-ω-t-Chloropolyisobutylene 268
Kennedy, J.P., see Chang, V.S.C.
Kennedy, J.P., see Nguyen, H.A.
Kennedy, J.P., see Percec, V.
Kennedy, J.P., see Sung, P.-H.
Kitayama, T., see Hatada, K.
Klimovič, J., see Trchová, M.
Kobayashi, S., Kaku, M., Mizutani, T., Saegusa, T.: Preparation of Ring-Opening Polymerizable Macromer and Its Copolymerization Leading to Graft Copolymer 169
Kobayashi, S., Tak Yuen Chow, Saegusa, T.: Spontaneous Alternating Copolymerization of Six-Membered Cyclic Phosphonites with Lipoic Acids 588
Kosfeld, R., see Elgert, K.-F.
Kricheldorf, H.R., Jontè, J.M.: New Polymer Syntheses. 8. Synthesis and Polymerization of L-Lactic Acid O-Carboxyanhydride (5-Methyl-Dioxolan-2,4-Dione) 276
Kricheldorf, H.R., Müller, D., Ziegler, K.: Secondary Structure of Peptides. 9. ^{13}C NMR CP/MAS Investigation of Silk Proteins 284
Krüger, J.K., see Grossmann, H.P.
Krüger, J.K., Höhne, G.W., Pietralla, M.: About the Transition of n-Alkanes Above the Melting Point. Comment to the Paper by P. Claudy and J.M. Létoffé 252

Kuan, T.C., Chiou, C.L., Wang, S.J.: Facile Synthesis of a Monomer 4'-Vinyldibenzo-14-Crown-4 216
Kulicke, W.-M., Elsabee, M., Eisenbach, C.D., Peuscher, M.: Effect of Molecular Weight and Molecular Weight Distribution on the Rheological Properties of Aqueous Poly (Ethylene Oxide) Solution 190

L

Lackey, J.E., see Sung, P.-H.
Lafuma, F., see Boscher, Y.
Létoffé, J.M., see Claudy, P.
Li-Ren Jiang, see Mei-Yu Huang
Llorente, M.A., see Riande, E.
Lőcsei, V., Facsko, O., Pape, R.F.: The Determination of Hard Segments in Polyurethane Elastomers by [illegible] Performance Liquid Chromatography 81

M

Malanga, C., see Chiellini, E.
Malanga, C., Spassky, N., Menicagli, R., Chiellini, E.: Chiral Liquid Crystal Polymers. 2. Synthesis of Optically Active Oligoethers of (S)-1,2-Propanediol 328
Malanga, M., Vogl, O.: Head to Head Polymers. 26. Blends of Head to Head and Head to Tail Polyisobutylene 236
Mandelkern, L., see Popli, R.
Marks, J.E., see Sung, P.-H.
Matějka, Z., Kahovec, J., Švec, F.: Immobilized Complexon Amides-Cation Exchangers of High Chelating Activity 139
McGrath, J.E., see Hill, D.J.T.
Mei-Yu Huang, Ru Wu, Li-Ren Jiang: Polymerization of Acrylic Acid Initiated with Poly-γ-Mercaptopropylsiloxane 5
Menicagli, R., see Malanga, C.
Mezger, T., Cantow, H.-J.: Minimization of Molecular Heterogeneity in Radical Polymerization. Application for Central Block Syntheses in Threeblock Copolymers 515
Mihăilescu, C., see Simionescu, C.I.
Mishra, M.K., Sar, B., Gaylord, N.G.: Graft Copolymerization of Methyl Methacrylate Onto Reduced Wool with Potassium Peroxydiphosphate as Initiator 106
Mitsuuchi, M., see Inagaki, N.
Mizutani, T., see Kobayashi, S.
Mohajer, Y., see Bagrodia, S.
Müller, D., see Kricheldorf, H.R.

N

Nagao, M., Sasaki, S., Hayashi, T., Uematsu, I.: Side-Chain Relaxation Behavior of Racemic Mixtures of α-Helical Polypeptides Having Phenyl Groups at the End of the Side Chains 11
Nakahama, S., see Kasai, H.
Nakanishi, T., see Inagaki, N.
Natansohn, A.L.: Comparison of Intramolecular Complexation in Several Charge Transfer Complexes Copolymers 67
Nešpůrek, S., see Slavinská, D.
Nguyen, H.A., Kennedy, J.P.: Initiation of Cationic Polymerization with Alcohol/Lewis Acid Systems. 3. Polymerization of Isobutylene 507
Nishinakama, K., see Ouchi, T.
Nisizawa, M.: Environmental Stress Relaxation Studies of Polymers. Rate of Penetrant-Enhanced Relaxation of the γ-Irradiated Polyethylene-Ketone System 1
Northfleet Neto, H., see Schneider H.A.
Nowak, A., see Sterzyński, T.

O

Ohnishi, R., see Soga, K.
Ohya, T., see Otsu, T.
Okamoto, Y., see Hatada, K.
Otsu, T., Ohya, T.: Head-to-Head Vinyl Polymers. 9. Preparation and Characterization of Head-to-Head Cyclopolymer Through Radical Head-to-Head Cyclopolymerization of N,N'-Dimethyl-N,N'-Dimethacrylurea 355

Ouchi, T., Nishinakama, K., Beika, N., Imoto, M.: Effect of Polyethyleneglycol on Polymerization of Methyl Methacrylate Initiated by Sodium Salt-Type Macromolecular Electrolytes 396
Ouivoron, C., see Boscher, Y.

P

Pan, S.-J., see Sung, P.-H.
Panichella, K.M., see Boyer, R.F.
Pape, R.F., see Lőcsei, V.
Pascault, J.P., see Claudy, P.
Pennings, A.J., see Smook, J.
Peppas, N.A., see Yang, W.-H.M.
Percec, V., Guhaniyogi, S.C., Kennedy, J.P.: New Telechelic Polymers and Sequential Copolymers by Polyfunctional Initator-Transfer Agents (Inifers). 29. Synthesis of α,ω-D₂(Amino)-Polyisobutylenes 27
Percec, V., Guhaniyogi, S.C., Kennedy, J.P.: New Telechelic Polymers and Sequential Copolymers by Polyfunctional Initiator-Transfer Agents (Inifers). 35. Synthesis and Characterization of α,ω-Di(Ethynyl)-Polyisobutylenes 570
Percec, V., Rinaldi, P.L.: A ^{13}C-NMR Study of the Microstructure of Polyphenylacetylenes Prepared with $MoCl_5$ and WCl_6 548
Percec, V., Rinaldi, P.L.: ^{13}C-NMR Studies of Thermally Isomerized Polyphenylacetylenes Prepared with $MoCl_5$ and WCl_6 Catalysts 582
Peuscher, M., see Kulicke, W.-M.
Pezzin, G., see Pizzoli, M.
Pietralla, M., see Krüger, J.K.
Pizzoli, M., Scandola, M., Ceccorulli, G., Pezzin, G.: Comparative Study of Diluent Effects on the Glass Transition of Polyvinylchloride and Phenolphthalein 429
Pooley, S.A., see Rivas, B.L.
Popli, R., Mandelkern, L.: The Transitions in Ethylene Copolymers: The β-Transition 260
Pospíšil, J., Tale, I.A.: Spectroscopy of Thermoactivated Relaxation Processes in Butadiene-Styrene Copolymers in the Elementary Relaxator Approach 40
Pospíšil, J., see Tran Than Son
Priola, A., see Corno, C.

R

Riande, E., Guzmán, J., Llorente, M.A.: Temperature Dependence of the Dynamic Viscoelastic Response of Amorphous Poly-(Diethylene Glycol Terephthalate)Chains 369
Richards Denny, L., see Boyer, R.F.
Riebel, K., see Kennedy, J.P.
Rinaldi, P.L., see Percec, V.
Rinaudo, M., Noik, C.: Adsorption of Polysaccharides on a Calcite Using Spin Labelled Polymers 543
Rivas, B.L., Canessa, G.S., Pooley, S.A.: Spontaneous Copolymerization via Zwitterion. 1. 2-Methyl-2-Oxazoline and Succinic Anhydride 417
Rotschová, J., see Tran Than Son
Ru Wu, see Mei-Yu Huang

S

Saegusa, T., see Kobayashi, S.
Sar, B., see Mishra, M.K.
Sasaki, S., see Hatada, K.
Sasaki, S., see Nagao, M.
Sasaki, S., Shinohara, S., Uematsu, I.: Side-Chain Interactions in the α-Helical Form of Poly(ε-p-Toluenesulfonyl L-Lysine) 437
Scandola, M., see Pizzoli, M.
Schneider, B., see Spěváček, J.
Schneider, H.A., Cantow, H.-J.: Isochrone Based Mastercurves of Viscoelastic Functions 361
Schneider, H.A., Northfleet Neto, H.: The Effect of Sequence Distribution on Glass Transiton of Donor-Acceptor Copolymer Systems 457
Schulz, D.N., see Hamed, G.R.
Seurin, M.J., Bosch, A. ten, Sixou, P.: Phase Studies of a Liquid Crystalline Polymer: Hydroxypropyl Cellulose 450
Shieh, C.-H., see Hamed, G.R.
Shinohara, S., see Sasaki, S.

Siesler, H.W.: Rheo-Optical Fourier Transform IR Spectroscopy of Polyurethane Elastomers. 1. Principle of the Method and Measurements at Ambient Temperature 382

Siesler, H.W.: Rheo-Optical Fourier Transform IR Spectroscopy of Polyurethane Elastomers. 2. Measurements at Elevated Temperature 471

Siesler, H.W.: Rheo-Optical Fourier Transform IR Spectroscopy of Polyurethane Elastomers. 3. Investigation of NH-Deuterated Specimens 557

Simionescu, B., see Simionescu, C.I.

Simionescu, C.I., Bărboiu, V., Grigoraş, M.: Intramolecular Charge Transfer Complexes. 21. Photoconductivity in N(2-Hydroxyethyl)-Carbazolyl Methacrylate-Methacryloyl-β-Hydroxyethyl-3,5-Dinitrobenzoate Copolymers 537

Simionescu, C.I., Grigoraş, M., Bărboiu, V.: Intramolecular Charge Transfer Complexes. 23. Copolymers of 9-Anthrylmethyl-methacrylate with Acryloyl-β-Hydroxyethyl-3,5-Dinitrobenzoate and Acryloyl-6-Hydroxyhexyl-3,5-Dinitrobenzoate 577

Simionescu, C.I., Mihăilescu, C., Dumitriu, S., Simionescu, B.: Polymerization of Methyl Methacrylate Initiated with Invertase and Copper(II) Ion in Water 21

Sing, R.P., see Chandra, R.

Sixou, P., see Seurin, M.J.

Slavinská, D., Nešpůrek, S., Šorm, M.: Crystalline Domains as Trapping States in Amorphous Materials 60

Smook, J., Pennings, A.J.: Preparation of Ultra-High Strength Polyethylene Fibres by Gel-Spinning/Hot-Drawing at High Spinning Rates 75

Soga, K., Ohnishi, R., Doi, Y.: Copolymerization of Ethylene with Propylene Over SiO_2-Supported $MgCl_2/TiCl_4$ Catalyst 299

Sørensen, P.R., Jacobsen, T.: Phase Diagram and Conductivity of the Polymer Electrolyte: $PEO_RLiCF_3SO_3$ 47

Šorm, M., see Slavinská, D.

Špan, J., Bratko, D., Dolar, D., Feguš, M.: Electrical Transport in Polystyrenesulfonate Solutions 33

Spassky, N., see Chiellini, E.

Spassky, N., see Malanga, C.

Spěváček, J., Schneider, B., Baldrian, J., Dybal, J., Štokr, J.: Solvent Induced Crystallization of Syndiotactic Poly(Methyl Methacrylate). Relation to the Formation of Polymer Aggregates in Solution 495

Stein, R.S., see Hadziioannou, G.

Stepanov, V.A., see Bershtein, V.A.

Sterzyński, T., Szostak, M., Nowak, A.: Temperature Dependent Uniaxial Stress Relaxation in Polyamide 6 410

Stilbs, P., see Brown, W.

Štokr, J., see Spěváček, J.

Storey, R.F., see Bagrodia, S.

Sturtz, G., Clement, J.C.: β Keto-Phosphonate Resins 125

O'Sullivan, P.W., see Hill, D.J.T.

Sung, P.-H., Pan, S.-J., Mark, J.E., Chang, V.S.C., Lackey, J.E., Kennedy, J.P.: Polyisobutylene Model Elastomers Prepared Using Demonstrably Complete End-Linking Reactions. 1. Elongation Moduli of the Trifunctional and Tetrafunctional Networks Prepared from the Linear Polymers 375

Švec, F., see Matějka, Z.

Szostak, M., see Sterzyński, T.

T

Tak Yuen Chow, see Kobayashi, S.

Tale, I.A., see Pospíšil, J.

Tovborg Jensen, J.P., Carlsson, D.J., Wiles, D.M.: Polypropylene Photostabilization by a Tertiary Hindered Amine 321

Trainor, G.T., see Fujimori, K.

Tran Than Son, Rotschová, J., Pospíšil, J.: Antioxidants and Stabilizers. 93. A Model Interaction of Polyolefine Melt Stabilizer 2,2-Thiobis(4,6-di-tert. Butylphenol) with tert. Butylhydroperoxide 121

Trchová, M., Klimovič, J., Chudáček, I.: Temperature Dependence of the Intensity of Fluorescence of Poly-(N-Vinylcarbazole) Films 52

Tsonis, C.P.: Polymerization of Benzyl Halides Catalyzed by VIB Metal Carbonyls 349
Tüdős, F., see Bresler, L.S.
Turcsányi, B., see Bresler, L.S.

U

Uematsu, I., see Nagao, M.
Uematsu, I., see Sasaki, S.
Ute, K., see Hatada, K.

V

Valko, L.: Stability Conditions for Polymer Dielectrics in Uniform Electric Field 144
Vert, M., see Braud, C.
Vogl, O., see Malanga, M.

W

Wang, I.C., see Hill, D.J.T.
Wang, S.J., see Kuan, T.C.
Ward, T.C., see Hill, D.J.T.
Wiles, D.M., see Tovborg Jensen, J.P.
Wilkes, G.L., see Bagrodia, S.
Wondraczek, R.H., see Hotzel, H.E.

Y

Yamaguchi, K., see Kasai, H.
Yamazaki, N., see Kasai, H.
Yang, W.-H.M., Peppas, N.A.: Preparation and Structure of Crosslinked Poly(Methyl Methacrylate-co-1,3-Bis-(Methacryloxymethyl)-1,1,3,3-Tetramethyl Disiloxane) 255

Z

Ziegler, K., see Kricheldorf, H.R.

Subject Index

Acrylic acid 5, 204
Acryloyl-β-hydroxyethyl-3,5-dinitrobenzoate 577
Acrylolyl-6-hydroxyhexyl-3,5-dinitrobenzoate 577
Alcohol 479
Alcohol/Lewis acid systems 507
n-Alkanes 245, 252, 344
Amorphous materials 60
Amphiphilic structure 198
Anionic copolymerization 292
9-Anthrylmethylmethacrylate 577
Antioxidants 121
Arene metal tricarbonyls 349
Aromatic triisocyanates 375

Benzyl halides 349
Biodegradability 276
Bis(cyclopentadienyl)dimethyltitanium 464
Blends 236, 563
Boltzmann equation 40
Butadiene 223, 292
Butadiene-styrene copolymers 40
tert. Butylhydroperoxide 121
t-Butylmagnesiumchloride 423

Calcite 543
Carbonyls 349
Catalysis 114
Catalysts 299, 464, 582
Catalyzation 349
Cationic copolymerization 132
Cationic graft copolymerization 402
Cationic polymerization 375, 507
Cellulose 450
Central block syntheses 515
Charge transfer 577
Chelating activity 139
Chemical modification 114
Chirality 328, 336
Chloroform 313
p-Chlorostyrene 487
Co-dimers 487
Compatibility 313
Complexon amides-cation exchangers 139
Conformation 437
Copolymerization 255, 299
Copolymerization, spontaneous 417
Copolymerization, spontaneous alternating 588
Copolymers (ethylene) 260
Copolymers, interacting 313
Crosslinking 255
Crown ethers 216
Crystalline domains 60
Crystallization 495
Cyclopolymerization 355

Deformation 382
Degradation 445
α,ω-Di(amino)polyisobutylenes 27
α-Dicyclopentadienyl-ω-t-Chloropolyisobutylene 268
Diels-Alder-extension 268
α,ω-Di(ethynyl)polyisobutylenes 570
N,N'-Dimethyl-N,N'-dimethacrylurea 355
Dioxane 313
1,1-Diphenylethylene 228
m- and p-Divinylbenzenes 228
Donor-acceptor copolymer systems 457
Drug-polymeric carrier 198
DSC evidence 344

Elastomers 81, 375, 382, 471
Electrical conductivity 47
Electrical transport 33
End group determination 518
End-linking reactions 375
Entanglements 369, 375
ESCA 502
Ethylene 260, 299, 464

Failures 1
Fluorescence 52
Fourier transform IR spectroscopy 382, 471, 557
Fracture morphology 90
Friedel-Crafts reactions 349
Functional polymers 114

Gels 159
Gel-spinning/hot drawing technique 75
Glass transition 208, 429, 437, 457
Glow discharge polymerization 390, 502
Graft copolymerization 106
Graft copolymers 169
Grafting reaction 228

Head-to-head polyisobutylene 236
Head-to-head vinyl polymers 355
Head-to-tail polyisobutylene 236
α-Helical polypeptides 11
α-Helix 437
High performance liquid chromatography 81
Hindered amines 321
Hydroxyethylcellulose 533
Hydroxyl-telechelic polyisobutylenes 518
Hydroxypropyl cellulose 450

Infrared spectroscopy 502, 518
Inifers 27, 570
Intramolecular charge transfer complexes 537
Intramolecular complexation 67
Ionomers, tri-arm polyisobutylene based 174
Isobutene 132
Isobutylene 402, 507
Isochrone based mastercurves 361
Isocyanates 479
Isomerization 582
Isoprene 223, 292
Isopropyl azodicarboxylate 525

β Keto-phosphonates 125

L-Lactic acid O-carboxyanhydride 276
Light-scattering 533
Light stabilizers 321
Lipoic acids 588
Liquid crystal polymers 328, 336, 450
Liquid-liquid transition 593

Macromers 169
Melt-crystallized polyethylene 90
Methacrylates 228
Methanol 204
Methylalumoxan 464
N-Methyl-N,N-dimethacrylamide 355
Methyl methacrylate 21, 106, 396
Methyl methacrylate-methacrylic acid 313
Methyl methacrylate-4-vinylpyridine 313
2-Methyl-2-oxazoline 417
Molecular fractionation 90
Molecular weight 208
Monomer 4'-vinyldibenzo-14-crown-4 216
Morphology 255

Network formation 159
Networks 174, 181, 369
Newtonian behavior 190
^{13}C-NMR 548, 582
^{13}C NMR cross-polymerization/magic angle spinning spectra 284
NMR-spectroscopy 417, 423
C-13 NMR spectroscopy 241

Oligoethers, optically active 328
Oligo(ethyleneoxy)2,5-di(anilino) terephthalate 60
Oxidation 245, 344

1,2,2,6,6-Pentamethyl-piperidine 321
Peptides 284
Perfluoromethylcyclohexane 502
Perfluorotoluene 502
Phase separation, strain-induced 525
Phase studies 450
Phenolphthalein 429
Phosphates 487
Phosphonites 588
Photoconductivity 60, 537
Photodegradation 445
Photosensitization 445
Photostabilization 321, 445
Polyacrylamide networks 159
Polyamide 6 410
Polybutadiene 525
Poly(1-butene) film, isotactic 445
Poly(diethylene glycol terephthalate) 369
Polyethylene 85, 152
Polyethylene fibres, ultra-high strength 75

Polyethyleneglycol 396
Polyethylene-ketone system 1
Poly(ethylene oxide) 190
Poly(2-ethynylnaphtalene) 17
Poly(indene-g-isobutylene) 402
Polyisobutylenes 375
Poly(β-malic acid benzyl ester)s 198
Polymer blends 361
Poly-γ-mercaptopropylsiloxane 5
Polymer dielectrics 144
Polymer electrolyte: $PEO_RLiCF_3SO_3$ 47
Polymethacrylamide, tacticity 241
Poly(methyl methacrylate)s 495
Poly(methyl methacrylate-co-1,3-bis-(methacryloxymethyl)-1,1,3,3-tetramethyl disiloxane) 255
Polyphenylacetylenes 548, 582
Polypropylene 321, 464
Polysaccharides 543
Polystyrene 152, 208
Polystyrenesulfonate solutions 33
Poly(ε-p-toluenesulfonyl L-lysine) 437
Polyurethane elastomers 81, 471, 557
Polyurethanes 382
Poly(N-vinylcarbazole) films 52
Polyvinylchloride 429
Poly(vinyl chloroformate) 114
Poly(4-vinylpyridine) 204
Potassium peroxydiphosphate 106
1,2-Propanediol 328
Propene 464
Propylene 299
Propyleneglycol ethers, optically active 336
Pulsed field gradient NMR 152, 305

Quasielectric light scattering 305

Racemate 328, 336
Racemic mixtures 11
Radical polymerization 204, 515
Reduced wool 106
Relaxation 11, 52, 260
β-Relaxation 98
Relaxation, dielectric 17
Relaxation, thermoactivated 40
Relaxation viscoelasticity 369
Resins 125
Rheological properties 190
Rigid backbone polymers 186
Ring-opening polymerization 169
Rubber elasticity 181

Scanning electron microscopy 85, 90
Scattering 563
Self diffusion 152
Sequence distribution 457
Shish-kebabs 85
Side-chain interactions 437
Silk proteins 284
Sodium polycarboxylate 396
Sodium polyphenolate 396
Solar radiation 321
Solid state 313
Spin labelled polymers 543
Stability conditions 144
Stabilizers 121
Stereospecific copolymerization 223
Stress relaxation 1, 410
Styrene 487
Styrene-methacrylic acid 313
Styrene-4-vinylpyridine 313
Succinic anhydride 417
Surfactant micelles 533
Swollen gels 159
Syndiotacticity 495

Telechelic polymers 27, 268, 518, 570
Temperature 52
Temperature dependence 369, 410
n-Tetracosane 593
Tetrafluoroethylene 502
Tetrafunctional silanes 375
1,1,4,4-Tetramethyl-1,3-butadiene 132
Tetramethylgermanium 390
2,2,6,6-Tetramethylpiperidine 321
Thermal behavior 245, 252
Thermally stimulated depolarization currents 17
Thermostimulated currents 60
2,2'-Thiobis(4,6-di-Tert.butylphenol) 121
Threeblock copolymers 515
β-Transition 260
Triazine complexes 445

Urethane synthesis 479

Vinylchloride 423
Viscoelasticity 361, 369
Viscosity 204

X-ray structure 437

Ziegler catalysts 464
Zwitterion 417